

Contents lists available at [SciVerse ScienceDirect](http://www.sciencedirect.com)

Molecular Phylogenetics and Evolution

journal homepage: www.elsevier.com/locate/ympev

Erratum

Erratum to: Convergent evolution of morphological and ecological traits in the open-habitat chat complex (Aves, Muscicapidae: Saxicolinae) [Molecular Phylogenetics and Evolution 65 (2012) 35–45]

Mansour Aliabadian^{a,b,*}, Mohammad Kaboli^c, Marc I. Förchler^d, Vincent Nijman^e, Atefeh Chamani^f, Annie Tillier^g, Roger Prodon^h, Eric Pasquet^{g,i}, Per G.P. Ericson^j, Dario Zuccon^{k,g}

^a Department of Biology, Faculty of Sciences, Ferdowsi University of Mashhad, Mashhad, Iran

^b Netherlands Centre for Biodiversity Naturalis, Section Zoological Museum of Amsterdam (ZMA), University of Amsterdam, Mauritskade 57, 1092 AD Amsterdam, The Netherlands

^c Department of Fisheries and Environmental Sciences, College of Agricultural and Natural Resources, University of Tehran, P.O. Box 4111, Karaj, Iran

^d Institute of Avian Research, "Vogelwarte Helgoland", An der Vogelwarte 21, 26386 Wilhelmshaven, Germany

^e Oxford Brookes University, School of Social Sciences and Law, Department of Anthropology and Geography, OX3 0BP Oxford, United Kingdom

^f Department of Environment, Faculty of Agriculture and Natural Resources, Khorasgan (Isfahan) Branch, Islamic Azad University, Isfahan, Iran

^g UMS 2700 – CNRS, Service de Systématique Moléculaire, Muséum National d'Histoire Naturelle, CP26, 57 rue Cuvier, F-75231 Paris Cedex 05, France

^h Laboratoire Ecologie et Biogéographie des Vertébrés (EPHE), Centre d'Ecologie Fonctionnelle et Evolutive, UMR 5175, 1919 route de Mende, 34293 Montpellier Cedex 5, France

ⁱ UMR 7205 – CNRS, Muséum National d'Histoire Naturelle, CP51, 57 rue Cuvier, F-75231 Paris Cedex 05, France

^j Department of Vertebrate Zoology, Swedish Museum of Natural History, Box 50007, SE-104 05 Stockholm, Sweden

^k Molecular Systematics Laboratory, Swedish Museum of Natural History, Box 50007, SE-104 05 Stockholm, Sweden

Molecular Phylogenetics and Evolution, Volume 65, Issue 1, October 2012, Pages 35–45.

In our paper about the phylogeny of the open-habitat chat complex inadvertently the GenBank accession numbers of all newly generated sequences presented in Table 1 were left out. We here provide a corrected version of this Table. We would like to apologize for any inconvenience this may have caused to the readers of the journal.

References

Aliabadian, M., Kaboli, M., Prodon, R., Nijman, V., Vences, M., 2007. Phylogeny of Palearctic wheatears (genus *Oenanthe*) – congruence between morphometric and molecular data. *Mol. Phylogenet. Evol.* 42, 665–675.

Förchler, M., Khoury, F., Bairlein, F., Aliabadian, M., 2010. Phylogeny of the mourning wheatear *Oenanthe lugens* complex. *Mol. Phylogenet. Evol.* 56, 758–767.

Glen, R., Bowie, R.C.K., Stolberger, S., Voelker, G., 2011. Geographically structured plumage variation among populations of White-headed Black Chat (*Myrmecocichla arnotti*) in Tanzania confirms the race *collaris* to be a valid taxon. *J. Ornithol.* 152, 63–70.

Outlaw, R.K., Voelker, G., Bowie, R.C.K., 2010. Shall we chat? Evolutionary relationships in the genus *Cercomela* (Muscicapidae) and its relation to *Oenanthe* reveals extensive polyphyly among chats distributed in Africa India and the Palearctic. *Mol. Phylogenet. Evol.* 55, 284–292.

Zuccon, D., Ericson, P.G.P., 2010a. A multi-gene phylogeny disentangles the chat flycatcher complex (Aves: Muscicapidae). *Zool. Scr.* 39, 213–224.

Zuccon, D., Ericson, P.G.P., 2010b. The *Monticola* rock-thrushes: phylogeny and biogeography revisited. *Mol. Phylogenet. Evol.* 55, 901–910.

DOI of original article: <http://dx.doi.org/10.1016/j.ympev.2012.05.011>

* Corresponding author at: Department of Biology, Faculty of Sciences, Ferdowsi University of Mashhad, P.O. Box 1436, Iran.

E-mail addresses: aliabadian@yahoo.com, m.aliabadian@uva.nl (M. Aliabadian).

Table 1
 Samples and sequences included in the phylogenetic analysis, with museum accession numbers and collection localities. The taxonomy follows Dickinson (2003). GenBank accession numbers of sequences published previously are followed by their references. Museum acronyms: BMNH, The Natural History Museum, Tring; IAR, Institute of Avian Research Wilhelmshaven, Vogelwarte Helgoland; MIUT, Museum of Ispahan University of Technology; MNHN, Muséum National d'Histoire Naturelle, Paris; NHMO, Natural History Museum, University of Oslo; NMBV, National Museum, Bloemfontein; NRM, Swedish Museum of Natural History; UMMZ, University of Michigan Museum of Zoology; USNM, United States National Museum, and ZMUC, Zoological Museum of the University of Copenhagen. References: [1] Zuccon and Ericson, 2010a; [2] Zuccon and Ericson, 2010b; [3] Outlaw et al., 2010; [4] Aliabadian et al., 2007; [5] Glen et al., 2011; [6] Förschler et al., 2010. *: these ND2 sequences were used only to evaluate the intraspecific divergence in the neighbour-joining tree, but they were not included in the phylogenetic analyses.

Taxon	Sample	GADPH	Myoglobin	ODC	ND2	ND3	COI	16S	ND2*	Locality
<i>Campicoloides bifasciatus</i>	NMBV 06249	GU358973 [1]	GU358710 [1]	GU358838 [1]	GU358779 [1]	JX256108				South Africa, Free State
	MNHN RSA073						JX255937	JX255919	JX256030	South Africa
<i>Cercomela dubia</i>	BMNH 1902.1.20.89	JX255956	JX255993	JX256155	JX256071					Ethiopia
<i>Cercomela familiaris</i>	NRM 680265	GU358974 [1]	GU358711 [1]	GU358839 [1]	GU237102 [2]	JX256109				Botswana, Francistown
	MNHN GA59064						JX255938	JX255920	JX256031	South Africa, Berfontein
<i>Cercomela fusca</i>	UMMZ 181352	JX255957	JX255994	JX256156	JX256072	JX256110				India
<i>Cercomela melanura</i>	NRM 89950	JX255958	JX255995	JX256157	JX256073	JX256111				Israel, Sinai, Wadi Hebran
	IAR JA12106						JX255939	JX255921	JX256032	Jordan
<i>Cercomela schlegelii</i>	NRM 89947	JX255959	JX255996	JX256158	JX256074	JX256112				Angola, Benguella
<i>Cercomela scotocerca</i>	NRM 89960	JX255960	JX255997	JX256159	JX256075	JX256113				Eritrea, Cheren
<i>Cercomela sinuata</i>	NRM RA.02	JX255961	JX255998	JX256160	JX256076	JX256114				South Africa, Basutoland
<i>Cercomela sordida</i>	NRM 558924	GU359040 [1]	GU358774 [1]	GU358905 [1]	GU358832 [1]	JX256115				Ethiopia, Addis-Abeba
	BMNH 1950.50.434	JX255962	JX255999	JX256161	JX256077	JX256116				Namibia, Witputs
<i>Myrmecocichla aethiops</i>	NRM 89928	JX255963	JX256000	JX256162	JX256078	JX256117				Kenya, Eldoret
<i>Myrmecocichla albifrons</i>	NRM 558941	JX255964	JX256001	JX256163	JX256079	JX256118				Sudan, Zande District
<i>Myrmecocichla arnotti</i>	NRM 558901	GU359016 [1]	GU358751 [1]	GU358881 [1]	GU358815 [1]	JX256119				South Africa, Transvaal
	FMNH 438821				HM595025 [5]					Tanzania
<i>Myrmecocichla collaris</i>	NMBV 06296	JX255965	JX256002	JX256164	JX256080	JX256120				South Africa
	MNHN B038907						JX255940	JX255922	JX256033	South Africa, Kimberley
<i>Myrmecocichla melana</i>	BMNH 1952.25.13	JX255966	JX256003	JX256165	JX256081	JX256121				Eritrea, Senafe
<i>Myrmecocichla nigra</i>	NRM 570041	GU359017 [1]	GU358752 [1]	GU358882 [1]	GU237119 [2]	JX256122				Angola, Dembos
	BMNH 1957.35.276	JX255967	JX256004	JX256166	JX256082					Angola, Vouga
<i>Myrmecocichla tholloni</i>	MIUT 2003- 95(18)	JX255968	JX256005	JX256167	JX256083	JX256123	DQ683480 [4]	DQ683446 [4]		Iran, Firouz Abad
<i>Oenanthe alboniger</i>	NRM 558916	JX255969	JX256006	JX256168		JX256124				Saudi Arabia, Taik
	IAR A1147					JX256084	JX255941	JX255923		Ethiopia
<i>Oenanthe chrysopygia</i>	NRM 896463	JX255970	JX256007	JX256169	JX256085	JX256125				Russia, Ordubad
	MIUT 2003- 96(19)						DQ683481 [4]	DQ683447 [4]	JX256034	Iran, Kashan
<i>Oenanthe cyprica</i>	NRM 553236	JX255971	JX256008	JX256170	JX256086	JX256126				Cyprus, Ayia Phyla
<i>Oenanthe deserti</i>	NRM 20046660	GU359019 [1]	GU358754 [1]	GU358884 [1]	GU237121 [2]	JX256127				Iran, Mashhad
	MIUT 2003- 99(22)						DQ683485 [4]	DQ683451 [4]	JX256035	Morocco, Eastern high plateaus
<i>Oenanthe finschii</i>	NRM 896462	JX255972	JX256009	JX256171	JX256087	JX256128				Russia, Dzhulfa,
	BMNH A/ 2005.2.11						DQ683487 [4]	DQ683453 [4]	JX256036	Iran, Firouz Abad
<i>Oenanthe heuglini</i>	MNHN 1966.549	JX255973	JX256010	JX256172	JX256088	JX256129				Ethiopia
<i>Oenanthe hispanica hispanica</i>	NRM 551781	JX255974	JX256011	JX256173	JX256089	JX256130				Spain, Zafrá,
	MNHN 1995- 104						JX255942	JX255924	JX256037	France
<i>Oenanthe hispanica melanoleuca</i>	DZC 20010729.02	JX255975	JX256012	JX256174	JX256090	JX256131				Greece, Rhodos
	IAR 81418926						JX255943	JX255925	JX256038	Mali
<i>Oenanthe isabellina</i>	NRM 90181	JX255976	JX256013	JX256175	JX256091	JX256132				Eritrea, Gheleb

Table 1 (continued)

Taxon	Sample	GADPH	Myoglobin	ODC	ND2	ND3	COI	16S	ND2*	Locality
<i>Oenanthe leucopyga leucopyga</i>	BMNH A/2005.2.1						DQ683492 [4]	DQ683458 [4]	JX256039	Iran, Ispahan
	NRM 90334	JX255977	JX256014	JX256176	JX256092	JX256133				Algeria, Ouad Itlou
<i>Oenanthe leucopyga ernesti</i>	IAR HA01112						DQ683508 [4]	DQ683474 [4]	JX256040	Morocco, Tazenakht
	NHMO 22655	JX255978	JX256015	JX256177	JX256093	JX256134				Israel
<i>Oenanthe leucura</i>	NRM 90197	JX255979	JX256016	JX256178	JX256094	JX256135				Algeria, Tilatou
<i>Oenanthe lugens halophila</i>	IAR						JX255944	JX255926	JX256041	Morocco
	IAR 503	JX255980	JX256017	JX256179	JX256095	JX256136	HM046858 [6]	HM046838 [6]		Morocco, Boumalne
<i>Oenanthe lugens</i>	IAR 396	JX255981	JX256018	JX256180	JX256096	JX256137	HM046860 [6]	HM046840 [6]		Jordan, Wadi Raman
<i>Oenanthe lugens persica</i>	NRM 20046701	JX255982	JX256019	JX256181	JX256097	JX256138				Iran
<i>Oenanthe lugubris</i>	BMNH A/2005.2.7						DQ683497 [4]	DQ683463 [4]	JX256042	Iran, Ispahan
	IAR 447	JX255383	JX256020	JX256182	JX256098	JX256139	HM046871 [6]	HM046871 [6]		Ethiopia, Jemmu
<i>Oenanthe moesta</i>	NRM 90315	JX255984	JX256021	JX256183	JX256099	JX256140				Algeria, Bordj Saada
<i>Oenanthe monacha</i>	MIUT 2003-103(26)						DQ683500 [4]	DQ683466 [4]	JX256043	Morocco, Eastern high plateaus
	IAR BG22386	JX255985	JX256022	JX256184	JX256100	JX256141				Egypt, Suez
<i>Oenanthe monticola</i>	NRM 90042	JX255986	JX256023	JX256185	JX256101	JX256142				Israel
<i>Oenanthe oenanthe</i>	MNHN RSA037						JX255946	JX255928	JX256045	South Africa
	NRM 966643	GU359020 [1]	GU358755 [1]	GU358885 [1]	GU358816 [1]	JX256143				Sweden, Stockholm
<i>Oenanthe phillipsi</i>	BMNH A/2005.2.4						DQ683502 [4]	DQ683468 [4]	JX256046	Iran, Ispahan
	MNHN 1974-1550	JX255987	JX256024	JX256186	JX256102	JX256144	JX255947			Ethiopia
<i>Oenanthe picata</i>	NRM 20046664	JX255988	JX256025	JX256187	JX256103	JX256145				Iran
<i>Oenanthe pileata</i>	MIUT 2003-7.1(27)						DQ683509 [4]	DQ683475 [4]		Iran, Touran
	NRM 90366	JX255989	JX256026	JX256188	JX256104	JX256146				Tanzania, Tanga
<i>Oenanthe pleschanka</i>	MNHN 36-E05						JX255948	JX255929	JX256047	South Africa, Berfontein
	NRM 20046694	JX255990	JX256027	JX256189	JX256105	JX256147				Sweden (vagrant)
<i>Oenanthe xanthopyrymna</i>	MIUT 2003-26(30)						DQ683507 [4]	DQ683473 [4]	JX256048	Iran, Dar Gaz
	NHMO 23723	JX255991	JX256028	JX256190	JX256106	JX256148	JX255949	JX255930		Israel
<i>Thamnolaea cinnamomeiventris</i>	NRM 20086147	GU359034 [1]	GU358769 [1]	GU358899 [1]	GU358828 [1]	JX256149	JX255950	JX255931		Nigeria, Jos
<i>Outgroup</i>										
<i>Phoenicurus phoenicurus</i>	NRM 20016219	GU359022 [1]	GU358757 [1]	GU358887 [1]	GU237122 [2]	JX256150				Sweden, Stockholm
<i>Saxicola rubetra</i>	MNHN 22-43						JX255951	JX255932	JX256065	France, Ahetze
	NRM 20016186	GU359028 [1]	GU358763 [1]	GU358893 [1]	GU237123 [2]	JX256151				Sweden, Stockholm
<i>Saxicola (torquata) stejnegeri</i>	ZMUC 131941						JX255952	JX255933	JX256067	Denmark, Kongelunden
	NRM 947295	JX255992	JX256029	JX256191	JX256107	JX256152	JX255953	JX255934		Vietnam
<i>Monticola gularis</i>	NRM 20036789	GU359006 [1]	GU358741 [1]	GU358871 [1]	GU237106 [2]	JX256153				Vietnam, Kon Tum
<i>Monticola solitarius</i>	MNHN JF031						JX255954	JX255935	JX256061	Cambodia
	NRM 20016756	GU359007 [1]	GU358742 [1]	GU358872 [1]	GU358808 [1]	JX256154				Captivity, unknown
	MNHN 22-33						JX255955	JX255936	JX256063	France, Corsica